# Saadanius

**Saadanius** is a genus of fossil primate dating to the Oligocene that is closely related to the common ancestor of the Old World monkeys and apes, collectively known as catarrhines. It is represented by a single species, Saadanius hijazensis, which is known only from a single partial skull tentatively dated between 29 and 28 million years ago. It was discovered in 2009 in western Saudi Arabia near Mecca and was first described in 2010 after a comparison with both living and fossil catarrhines.

Saadanius had a longer face than living catarrhines and lacked the advanced frontal sinus found in living catarrhines. However, it had a bony ectotympanic and teeth comparable to those of living catarrhines. The discovery of *Saadanius* may help answer questions about the evolution and appearance of the last common ancestors of Old World monkeys and apes.

### **Contents**

**Discovery** 

Type specimen

Phylogeny and significance

References

**External links** 

# **Discovery**




The specimen was found with the palate and teeth facing upward.

Saadanius is known from a single specimen, holotype, named "SGS-UM 2009-002", stored in Jeddah, Saudi Arabia, at the Paleontology Unit of Saudi Geological the Survey (SGS). Its type locality was on top of an oolitic ironstone fossil bed of the middle Shumavsi Formation located in the

southwest corner of Harrat Al Ujayfa, in western Saudi Arabia, close to Mecca.<sup>[1]</sup> The specimen was discovered in February 2009<sup>[2]</sup> by paleontologist Ivad Zalmout, who had traveled to the region to search for ancient whale and dinosaur fossils. While

## Saadanius Temporal range: 29-28 Ma

Pre€ € OS D C P T J K PgN



Saadanius hijazensis

Scientific classification 🥖	
Kingdom:	Animalia
Phylum:	Chordata
Class:	Mammalia
Order:	Primates
Suborder:	Haplorhini
Infraorder:	Simiiformes
Parvorder:	Catarrhini
Superfamily:	†Saadanioidea
	Zalmout et al., 2010
Family:	†Saadaniidae
	Zalmout et al., 2010
Genus:	†Saadanius
	Zalmout et al., 2010

### **Binomial** name

†S. hijazensis

Species:

†Saadanius hijazensis

Zalmout et al., 2010

looking for dinosaur fossils in an area that, according to the maps he was working from, contained rock layers that dated to the <u>Cretaceous</u>, Zalmout found the jawbone of an <u>anthracotheriid</u>, which dated to the <u>Eocene</u> or Oligocene. This indicated that the rock layers were much younger than what was dated on the maps. The following day, he noticed fossil teeth, which he immediately recognized as those of a primate. Zalmout emailed a photo of the teeth to paleontologist <u>Philip D. Gingerich</u>, with whom he was working as a postdoctoral fellow. Gingerich, an expert on ancient primates and whales, confirmed that it was indeed a primate. Due to a tight schedule, Zalmout had to leave the exposed fossil embedded in the rock for the next few days because collecting it would require days of work.<sup>[3]</sup> The fossil was soon recovered by a joint expedition involving the SGS and the University of Michigan.<sup>[1]</sup>

The fossil was not formally described until 2010 when its discovery was announced in the journal <u>Nature</u>. The fossil was dated to about 28 or 29 million years ago based on comparisons of fossils of anthracotheriids and <u>paenungulates</u> found nearby with fossils from similarly aged African deposits. However, the date has yet to be confirmed by other dating techniques. The <u>genus</u> name, <u>Saadanius</u>, comes from the Arabic word, saadan (<u>Arabic</u>: سُعدان), which is the collective term for apes and monkeys. The species name, <u>hijazensis</u>, is a reference to the al Hijaz region, in which it was discovered.

# Type specimen



Front and side view of Saadanius hijazensis.

Saadanius had a longer face than living catarrhines,<sup>[4]</sup> more closely resembling New World monkeys in appearance, although it was larger—possibly the size of a gibbon.<sup>[5]</sup> Its enlarged, deep-rooted canine teeth, the diastema between its canine teeth and second incisors, and its sagittal crest suggest that the specimen was a male.<sup>[1]</sup> These features are shared among male Old World monkeys.<sup>[2]</sup> Saadanius lacks the advanced frontal sinus found in living catarrhines,<sup>[1][2][4]</sup> but it does possess an ectotympanic, found in living catarrhines.


<u>Propliopithecoids</u>, the oldest <u>stem group</u> of catarrhines, which date back 35 to 30 mya, lacked a fully developed ectotympanic.<sup>[1][4]</sup>

The specimen had serious puncture wounds on the front of the skull, indicating that it had been preyed upon by a large <u>carnivore</u>. One puncture wound was on the right side of the <u>braincase</u> and may have been the fatal blow. There was also a bite mark on the frontal trigone.


Like other catarrhine primates, *Saadanius* was probably a tree-dweller.<sup>[5]</sup> During the time it would have lived, the <u>Red Sea</u> had not yet formed, and new plant and animal species would have been arriving from nearby <u>Eurasia</u> as it converged with the Afro-Arabian landmass.<sup>[2]</sup>

# Phylogeny and significance

Comparative anatomy and cladistic analysis indicate that *Saadanius* is more closely related to the last common ancestor of <u>crown</u> catarrhines than any other known fossil catarrhines, placing the common ancestry of Catarrhini in Arabia and Africa. Other stem catarrhines include propliopithecoids, such as *Aegyptopithecus*, and



pliopithecoids, such as *Pliopithecus*. The closer similarities between *Saadanius* and crown catarrhines, particularly its ectotympanic, suggest *Saadanius* of all known fossil primates most closely resembled the last common ancestor of living catarrhines.<sup>[1]</sup> Its discovery has provided new details about <u>human evolution</u>, particularly the split between the Old World monkeys and the ape lineage that eventually led to humans.<sup>[5]</sup>





Animated 3D view of the skull

The discovery of *Saadanius* provides new evidence for competing hypotheses about the facial appearance of the ancestral crown catarrhines, or common ancestor. One reconstruction is based on living catarrhine traits and predicts a short face and a rounded braincase, similar to that of a gibbon. Another reconstruction, based on the <u>morphology</u> of early <u>Miocene</u> apes and the <u>basal</u> cercopithecoid <u>Victoriapithecus</u>, predicts that the last common ancestor had a projecting snout and tall face, like that of living <u>baboons</u> and the oldest fossil apes and Old World monkeys. The conservative features of *Saadanius*, similar to those of the older stem catarrhines, support the latter hypothesis, according to Zalmout *et al.*<sup>[1][4][3]</sup> However, one palaeontologist, Eric Delson, has cautioned that geological pressure may have distorted the shape of the skull.<sup>[4]</sup>

According to Zalmout *et al.*, *Saadanius* may also help resolve the age of the hominoid—cercopithecoid split.<sup>[1][4]</sup> Paleoanthropological work has typically placed the divergence between 25 and 23 mya, but genetic-based estimates have placed it in the early Oligocene,

approximately 33 mya. Despite the predictions from the genetic tests, little fossil evidence has been found for a last common ancestor between 30 and 23 mya, favoring a later split. Only isolated teeth of *Kamoyapithecus* hinted at the existence of potential basal hominoids in the late Oligocene (between 24 and 27.5 mya), while the oldest fossil Old World monkey, *Victoriapithecus macinnesi*, dates to 19 mya. With the discovery of *Saadanius*, Zalmout *et al.* suggested a later split than the genetic data, dating between 29–28 and 24 mya. However, Pozzi *et al.* later argued that although *Saadanius* is a significant discovery, because it is a stem catarrhine, it could not be used to date the divergence of the crown group. The presence of stem taxa in the fossil record does not indicate that crown groups have evolved, and stem taxa may survive for millions of years after the crown taxa appear. For this reason, the fossil record can only suggest a hard minimum boundary for divergence dates, which corresponds to the first appearance of a crown taxon. Furthermore, Pozzi *et al.* pointed out that the supplementary material published by Zalmout *et al.* demonstrated that Pliopithecoidea were more closely related to living catarrhines than *Saadanius*.

The fossil find has also been seen by the SGS as an important find for Saudi Arabia, because it enriches the fossil record for the region. As a result of the find, both the SGS and the University of Michigan are considering more collaborative field explorations in the country.<sup>[3]</sup>

## References

1. Zalmout, I. S.; Sanders, W. J.; MacLatchy, L. M.; Gunnell, G. F.; Al-Mufarreh, Y. A.; Ali, M. A.; Nasser, A. -A. H.; Al-Masari, A. M.; Al-Sobhi, S. A.; Nadhra, A. O.; Matari, A. H.; Wilson, J. A.; Gingerich, P. D. (2010). "New Oligocene primate from Saudi Arabia and the divergence of apes and Old World monkeys". *Nature*. **466** (7304): 360–364. Bibcode:2010Natur.466..360Z (https://

- ui.adsabs.harvard.edu/abs/2010Natur.466..360Z). doi:10.1038/nature09094 (https://doi.org/10.1038%2Fnature09094). PMID 20631798 (https://pubmed.ncbi.nlm.nih.gov/20631798).
- 2. Sample, I. (14 July 2010). "Ape ancestors brought to life by fossil skull of 'Saadanius' primate" (https://www.theguardian.com/science/2010/jul/14/ape-ancestors-fossil-skull-saadanius). *The Guardian*.
- 3. Ross-Flanigan, N. (14 July 2010). "Fossil find puts a face on early primates" (http://www.ns.umi ch.edu/htdocs/releases/story.php?id=7884). University of Michigan News Service.
- 4. Laursen, L. (14 July 2010). <u>"Fossil skull fingered as ape-monkey ancestor" (http://www.nature.com/news/2010/100714/full/news.2010.354.html)</u>. NatureNews. <u>doi:10.1038/news.2010.354 (https://doi.org/10.1038%2Fnews.2010.354)</u>.
- 5. Ghosh, P. (14 July 2010). "Fossil links humans and monkeys" (https://web.archive.org/web/201 00715191305/http://www.bbc.co.uk/news/science+environment-10633640). BBC News. Archived from the original (https://www.bbc.co.uk/news/science+environment-10633640) on 15 July 2010.
- 6. Pozzi, L.; Hodgson, J. A.; Burrell, A. S.; Disotell, T. R. (2011). "The stem catarrhine Saadanius does not inform the timing of the origin of crown catarrhines" (http://www.lucapozzi.me/uploads/6/7/2/4/6724991/pozzi\_et\_al. 2011 journal\_of\_human\_evolution.pdf) (PDF). Journal\_of\_Human Evolution. 61 (2): 209–210. doi:10.1016/j.jhevol.2011.02.008 (https://doi.org/10.1016%2Fj.jhevol.2011.02.008). PMID 21497373 (https://pubmed.ncbi.nlm.nih.gov/21497373).

### **External links**

 A piece in the monkey puzzle (http://www.nature.com/nature/videoarchive/monkeypuzzle/index. html) – A short video from Nature explaining the Saadanius discovery and its significance.

Retrieved from "https://en.wikipedia.org/w/index.php?title=Saadanius&oldid=952636667"

This page was last edited on 23 April 2020, at 08:36 (UTC).

Text is available under the <u>Creative Commons Attribution-ShareAlike License</u>; additional terms may apply. By using this site, you agree to the <u>Terms of Use and Privacy Policy</u>. Wikipedia® is a registered trademark of the <u>Wikimedia</u> Foundation, Inc., a non-profit organization.